



**UNITED
INTERNATIONAL
UNIVERSITY**

Department of Computer Science and Engineering

Exam: **Final** Year: **2021** Trimester: **Summer** Course: **CSE 1111/CSI 121**
Title: **Structured Programming Language** Marks: **25** Time: **1 hr 15 min + 15 min**

[Any examinee found adopting unfair means will be expelled from the trimester / program as per UIU disciplinary rules.]

Answer all of the Questions given in the **Section-A** and **Section-B**. At first complete all the Questions in **Section-A** and then **Section-B**. Numerical figures in the right margin indicate full marks.

Section-A

Show the manual tracing for each of the programs (assume they are syntactically correct) given below. In the programs, `LAST_FOUR_DIGITS_OF_YOUR_STUDENT_ID` is used. For example, your STUDENT ID is 011202017 and therefore, the value of `LAST_FOUR_DIGITS_OF_YOUR_STUDENT_ID` is 2017. Below, **Use your own student ID**.

1. In the **manual tracing**, show the values of the **globally declared** variables **a**, **b**, and **c** every time their values change. **[2.5]**

```
#include<stdio.h>
int a, c;
float b;
int func1(float x);
void func2(int *x, float y);
void main(){
    a = LAST_FOUR_DIGIT_OF_YOUR_STUDENT_ID % 39;
    b = func1(a);
    func2(&a, b);
}
int func1(float x) {
    c = x + a;
    func2(&c, b);
    return c;
}
void func2(int *x, float y){
    *x *= 2;
    y = a;
}
```

2. In the manual tracing, show the value of variable **my_str** every time its value changes: [2.5]

```
#include<stdio.h>
#include<string.h>
#include<ctype.h>
int main(){
    char arr[5][20] = {"Elon Musk", "Sundar Pichai", "Steve Wozniak", "Steve Jobs",
                    "Mark Zuckerberg"};
    char my_str[50], temp_str[50];

    int a = LAST_FOUR_DIGIT_OF_YOUR_STUDENT_ID % 5;
    int b = LAST_FOUR_DIGIT_OF_YOUR_STUDENT_ID % 4;
    int c = LAST_FOUR_DIGIT_OF_YOUR_STUDENT_ID % 6;

    strcpy(my_str, arr[a]);
    my_str[b] = toupper(my_str[c]);
    strncpy(temp_str, arr[b], c);
    strcat(my_str, temp_str);
}
```

3. Write the final content of the test.txt file. [2.5]

```
#include<stdio.h>
void main(){
    FILE *file;
    int i, sum, a = LAST_FOUR_DIGIT_OF_YOUR_STUDENT_ID;
    int num[] = {a, a%10, a%20, a%30, a%40};
    file= fopen("test.txt", "w");
    fprintf(file, "%s\n", "Hello Vaxxers!");
    for(i=4; i>=0; i--){
        fprintf(file, "%d\n", num[i]);
    }
    fclose(file);
}
```

4. What is the output of the following code? [2.5]

```
#include<stdio.h>
int main(){
    int b = LAST_FOUR_DIGIT_OF_YOUR_STUDENT_ID % 11;
    int a[5] = {b+1, b+2, b+3, b+4, b+5};
    int *p1,t,u,v,w;

    p1=a;
    t= (*p1)++;
    u = *p1;
    v = *++p1;
    w = *(++p1);

    printf("%d %d %d %d", t, u, v, w);
}
```

Section-B

5. Write a program that performs the following operations. [5]
- a) Declare a global array "idValues" of int type and size 4 and initialize it with values $a\%11 + 3i$, Where $a = \text{LAST_FOUR_DIGIT_OF_YOUR_STUDENT_ID}$ and i is the index of array.
 - b) Implement a "takeInput" function that takes values from keyboard and populate the "idValues" array.
 - c) Implement an "elementProd" function that takes an array and its size as parameters. It multiplies all the elements of the array "idValues" and returns the result.
 - d) In the main function:
 - i) Call the function "takeInput".
 - ii) Call the function "elementProd" function passing the array and its size as arguments. Display the returned result.
 - e) Add appropriate prototypes of the functions.

6. Write a program that (i) **declares** a string **str_a** (of size $(\text{LAST_FOUR_DIGITS_OF_YOUR_STUDENT_ID} \% 11 + 30)$) and **initializes** with "**Your own name, Your own student id**". (ii) **Take** input from user into **str_a**. This string may have alphabets and digits. (iii) **Store** only the numerical characters of **str_a** into another string **str_b**. (iv) If the string **str_b** doesn't contain any numerical character, **print** 0 (zero), otherwise, **print** **str_b**. Some example input/outputs are given below:

	Example 1	Example 2	Example 3	Example 4
Input	123	abc	123abc	12ab34
Output	123	0	123	1234

7. Write a program that performs the following operations: [5]
- a) (i) **Define** a structure named "Student_Info" with student_ID (string), student_Name (string), an array marks (float) to contain scores of 5 subjects. Use appropriate size for the strings.
(ii) Put default values with your own name, your own student id, and zeroes for marks.
 - b) In the main() function,
 - i) **Declare** an array "students" of Student_Info structure of size $(\text{LAST_FOUR_DIGITS_OF_YOUR_STUDENT_ID} \% 11 + 10)$.
 - ii) Take input from keyboard for all students in "students" array.