

United International University (UIU)

Dept. of Computer Science & Engineering (CSE)

Mid Term Exam:: Trimester: Spring 2022

Course Code: CSE 1111, Course Title: Structured Programming Language

Total Marks: **30** Duration: 1:45 hour

There are FIVE questions. Answer all the questions. Marks are indicated in the right margin

1	a)	Rewrite the following code after correcting the errors. #include <studio.h> #include<math.h> int Main (){ Float n_, m = 5; scanf("%d", n_) float p = (n_%m)/sqrt(6; printf("%d", P); }</math.h></studio.h>	[2]
	b)	Identify the invalid variable names from the following. Mention the reasons that make them invalid. Num1, 1time, \$VALUE, "myValue", num6, first_name, last-name, f1x	[2]
	c)	Compute the values of the variables a, b, c, and d. int $a = 10.0/3*10$; float $b = (int)23.0\%11$; int $c = (10 > 9 \&\& 21 \le 19)*5$; float $d = 7/2$;	[2]
2	a)	<pre>Find the outputs when the input values of variable b are 4, 5, 10 and 12, respectively. int b; scanf("%d", &b); printf("Begin\n"); if (b>=5) printf("UIU\n"); else if(b<=5) printf("CSE\n"); else if ((b>=2) (b<10)) printf("COMPUTER\n"); else if ((b>2)&&(b<=10)) printf("NICE\n"); else printf("Bye\n"); printf("End");</pre>	[2]
	b)	In a factory there are three categories of employees: X, Y, Z. The manager announced a bonus for the employees who have > 12 years or more work experience and more than 5 family members, OP	[4]

Less than 1000.50 BDT total family income per month

He is also generous to his bonus deprived employees who have a larger family. Thus, He has declared the bonus for

- ➢ For the employees of 'Y' and 'Z' categories who have more than 8 family members and has less than 1100.78 BDT total family income per month.
- However, if an employee is from 'X' category, he can avail the bonus having more than 6 family members.

Now you need to automate the system by writing a program to take following inputs from user (employee) and notify him whether he is eligible for the bonus or not.

- Category (character)
- Years of work experience (integer)
- Number of family members (integer)
- Total family income per month (float)

3 Manually trace (show the values of all the variables in each step) the following code segment. [3] a) int n = 5, sum = 0, i, a = 3, sign = 1; $for(i = 1; i \le n; i++)$

```
sum = sum + a*sign;
  if(i\%2==0)
    a = a + 6;
  else
     a = a + 4:
  sign = -sign;
printf("\n%d", sum);
```

{

}

- b) Write a program to determine whether a number is a *deficient number* or not. A number is [3] deficient if the summation of its factors is less than double of the number. For example, 15 is a deficient number as the sum of its factors (1+3+5+15=24) is less than 30 (double of 15). On the other hand, 24 is not a deficient number. Because the sum of the factors of 24 (1, 2, 3, 4, 6, 6)8, 12, 24) is 60 which is larger than double of 24.
- 4 Show the manual tracing (show the values of all the variables and array elements in each step) [2] a) for the following code segment int F[6]={0}; int i; F[0]=1; F[1]=1; for(i=2; $i \le 5$; i++){ F[i]=F[i-1]+F[i-2];printf("%d %d %d\n", F[i-2], F[i-1], F[i]); } printf("%d %d %d", F[i-2], F[i-1], F[i-1]+F[i-2]);
 - b) Write a Program that will take n integer numbers into an array, and then find the maximum -[4] minimum among them with the index positions.

Sample input	Sample output
5	Max: 5, Index: 4
1 2 3 4 5	Min: 1, Index: 0
6	Max: 9, Index: 3
2 8 3 9 0 1	Min: 0, Index: 4

5 a) Draw a flowchart that always displays the following menu. It also takes a choice from the user [2] and handle according to the menu.

> Enter 1, to display "SPL is fun!" Enter 2, to display "(On campus) University life is the Best!" Enter q, to quit.

b) Write a C program that takes an integer value *n*, and draw the pattern below. [4]

Sample input, n	Sample output
3	ХХ
	х
	ХХ
5	X X
	X X
	Х
	ХХ
	X X